

Appl. No. : 10/063,538
Filed : May 2, 2002

AMENDMENTS TO THE CLAIMS

- 1-5. (Canceled).
6. (Previously Presented) An isolated polypeptide comprising:
 - (a) the amino acid sequence of the polypeptide of SEQ ID NO: 34;
 - (b) the amino acid sequence of the polypeptide of SEQ ID NO: 34, lacking its associated signal peptide;
 - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34;
 - (d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34, including its associated signal peptide; or
 - (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203161;
wherein said extracellular domain is amino acids 201-678 of SEQ ID NO: 34.
7. (Previously Presented) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide of SEQ ID NO:34.
8. (Previously Presented) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide of SEQ ID NO:34, lacking its associated signal peptide.
9. (Previously Presented) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34;
wherein said extracellular domain is amino acids 201-678 of SEQ ID NO: 34.
10. (Previously Presented) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34, including its associated signal peptide;
wherein said extracellular domain is amino acids 201-678 of SEQ ID NO: 34.
11. (Original) The isolated polypeptide of Claim 6 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203161.
12. (Currently Amended) A chimeric polypeptide comprising a polypeptide according to Claim 4 Claim 6 fused to a heterologous polypeptide.

Appl. No. : 10/063,538
Filed : May 2, 2002

13. (Previously Presented) The chimeric polypeptide of Claim 12, wherein said heterologous polypeptide is a tag polypeptide or an Fc region of an immunoglobulin.

14. (Previously Presented) An isolated polypeptide having at least 95% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 34;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 34, lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34;
- (d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34, including its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203161;
 - wherein said extracellular domain is amino acids 201-678 of SEQ ID NO: 34; and
 - wherein said isolated polypeptide or a fragment thereof can be used to generate an antibody which can be used to specifically detect the polypeptide of SEQ ID NO: 34 in esophageal or skin tissue samples.

15. (Previously Presented) The isolated polypeptide of Claim 14 having at least 99% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 34;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 34, lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34;
- (d) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 34, including its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203161;
 - wherein said extracellular domain is amino acids 201-678 of SEQ ID NO: 34; and

Appl. No. : 10/063,538
Filed : May 2, 2002

wherein said isolated polypeptide or a fragment thereof can be used to generate an antibody which can be used to specifically detect the polypeptide of SEQ ID NO:34 in esophageal or skin tissue samples.

16. (Previously Presented) A chimeric polypeptide comprising a polypeptide according to Claim 14 fused to a heterologous polypeptide.

17. (Previously Presented) The chimeric polypeptide of Claim 16, wherein said heterologous polypeptide is a tag polypeptide or an Fc region of an immunoglobulin.